

Auswahl wissenschaftlicher Publikationen von Franz Moggi

I. Peer reviewed-Publikationen

1. Crunelle, C.L., van den Brink, W., **Moggi, F.**, Konstenius, M., Franck, J., Levin, F.R., van de Glind, G., Demetrovics, Z., Coetzee, C., Luderer, M., Schellekens, A., Matthys, F., ICASA consensus group (2018). International Consensus Statement on Screening, Diagnosis and Treatment of Substance Use Disorder Patients with Comorbid Attention Deficit/Hyperactivity Disorder. *European Addiction Research*, 24, 43-51.
2. Soravia, L.M., Wopfner, A., Pfiffner, L., Bétrisey, S., & **Moggi, F.** (2018). Symptom-triggered detoxification using the Alcohol-Withdrawal-Scale reduces risks and health care costs. *Alcohol and Alcoholism*, 53, 71-77.
3. Konstenius, M., Leifman, A., van Emmerik-van Oortmerssen, K., van de Glind, G., Franck, J., **Moggi, F.**, Ramos-Quiroga, J.A., Levin, F.R. et al. (2017). Childhood trauma exposure in substance use disorder patients with and without ADHD. *Addictive Behaviors*, 65, 118-124.
4. Vogel, T., Dom, G., van de Glind, G., Studer, J., Gmel, G., Strik, W., & **Moggi, F.** (2016). Is attention deficit/hyperactivity disorder among men associated with initiation or escalation of substance use at 15-month follow up? A longitudinal study involving young Swiss men. *Addiction*, 111, 1867-1878.
5. Soravia, L.M., Schäfli, K., Stutz, S., Rösner, S. & **Moggi, F.** (2015). Resistance to Temptation: The Interaction of External and Internal Control on Alcohol Use During Residential Treatment for Alcohol Use Disorder. *Alcoholism: Clinical and Experimental Research*, 39, 2209-2214.
6. van Emmerik-van Oortmerssen, K., van de Glind, G., Koeter, M.W., Allsop, S., Auriacombe, M., ... **Moggi F.**, et al. (2014). Psychiatric comorbidity in treatment seeking substance use disorder patients with and without ADHD: Results of the IASP Study. *Addiction*, 109, 262-272.
7. Bauer, S., Strik, W. & **Moggi, F.** (2014). Motivation as a Predictor of Drinking Outcomes after Residential Treatment Programs for Alcohol Dependence. *Journal of Addiction Medicine*, 8, 137-142.

8. Meyer, A., Wapp, M., Strik, W. & **Moggi, F.** (2014). Association between drinking goal and alcohol use one year after residential treatment for alcohol dependence: a multicenter study. *Journal of Addictive Diseases*, 33, 234-242.
9. Walther, S., **Moggi, F.**, Horn, H., Moskvitin, K., Abderhalden, C., Maier, N., Strik, W. & Müller, T.J. (2014). Rapid tranquilization of severely agitated patients with schizophrenia spectrum disorders: a naturalistic, rater-blinded, randomized, controlled study with oral haloperidol, risperidone, and olanzapine. *Journal of Clinical Psychopharmacology*, 34, 124-128.
10. van de Glind, G., van den Brink, W., Koeter, M.W., Carpentier, P.J., van Emmerik-van Oortmerssen, K., Kaye, S., ... **Moggi, F.** et al. (2013). Validity of the Adult ADHD Self-Report Scale (ASRS) as a screener for adult ADHD in treatment seeking substance use disorder patients. *Drug and Alcohol Dependence*, 132, 587-596.
11. De Witte, N.A., Crunelle, C.L., Sabbe, B, **Moggi, F.**, Dom, G. (2013) Treatment for Outpatients with Comorbid Schizophrenia and Substance Use Disorders: A Review. *European Addiction Research*, 20, 105-114.
12. Ludwig, F., Tadayon-Manssuri, E., Strik, W. & **Moggi, F.** (2013). Self-efficacy as a predictor of outcome after residential treatment programs for alcohol dependence: Simply ask the patient one question! *Alcoholism: Clinical and Experimental Research*, 37, 663-667.
13. Morrens, M., Dewilde, B., Sabbe, B., Dom, G., De Cuyper, R. & **Moggi, F.** (2011). Treatment outcomes of an integrated residential programme for patients with schizophrenia and substance use disorder. *European Addiction Research*, 17, 154-163.
14. Suter, M., Strik, W. & **Moggi, F.** (2011). Depressive symptoms as a predictor of alcohol relapse after residential treatment programs for alcohol use disorder. *Journal of Substance Abuse Treatment*, 41, 225-231.
15. **Moggi, F.**, Giovanoli, A., Strik, W., Moos, B.S. & Moos, R.H. (2007). Substance Use Disorder Treatment Programs in Switzerland and the USA: Program Characteristics and One-Year Outcomes. *Drug and Alcohol Dependence*, 86, 75-83.
16. Brodbeck, J., Matter, M., Page, J. & **Moggi, F.** (2007). Motives for cannabis use as a moderator variable of distress among young adults. *Addictive Behaviors*, 32, 1537-1545.

17. Brodbeck, J., Matter, M. & **Moggi, F.** (2006). Association between cannabis use and sexual risk behavior among young heterosexual adults. *AIDS and Behavior*, 10, 599-605.
18. **Moggi, F.**, Giovanoli, A. & Sutter, M. & Humphreys, K. (2005). Validity and reliability of the German version of the Short Understanding of Substance Abuse scale. *European Addiction Research*, 11, 172-179.
19. **Moggi, F.**, Költzsch, K., Brodbeck, J. & Bachmann, K.M. (2002). One-year follow-up of dual diagnosis patients attending a 4-month integrated inpatient treatment. *European Addiction Research*, 8, 30-37.
20. **Moggi, F.**, Ouimette, P.C., Finney, J.W. & Moos, R.H. (1999). Effectiveness of treatment for substance abuse and dependence for dual diagnosis patients. A model of treatment factors associated with one-year outcomes. *Journal of Studies on Alcohol*, 60, 856-866.
21. **Moggi, F.**, Ouimette, P.C., Moos, R.H. & Finney, J.W. (1999). Dual diagnosis patients in substance abuse treatment. Relationship of general coping and substance-specific coping to one-year outcomes. *Addiction*, 94, 1805-1816.

II. Bücher

1. Dom, G. & **Moggi, F.** (Eds.) (2015). *Co-occurring Addictive and Psychiatric Disorders: A Practice-based Handbook from a European Perspective*. Berlin: Springer Publisher.
2. **Moggi, F.** (Hrsg.) (2007). *Doppeldiagnosen. Komorbidität psychischer Störungen und Sucht* (2. überarbeitete und erweiterte Auflage). Bern: Huber.
3. **Moggi, F.** & Donati, R. (2004). *Psychische Störungen und Sucht: Doppeldiagnosen. Fortschritte der Psychotherapie*. Göttingen: Hogrefe.

III. Eingeladene Buch- und Zeitschriftenbeiträge

1. **Moggi, F.** (2016). Wirksame psychosoziale Interventionen bei Suchterkrankungen und komorbiden psychischen Störungen. *Schweizer Zeitschrift für Psychiatrie und Neurologie*, 16 (3), 27-29.

2. Wiers, R.W., Becker, D., Holland, R.W., **Moggi, F.** & Lejuez, C.W. (2016). Cognitive Motivational Processes Underlying Addiction Treatment. In C.E. Kopetz & C.W. Lejuez (Eds.) *Addictions. A social Psychological Perspective* (p. 201-236). New York & London: Routledge.
3. **Moggi, F.** & Öjehagen, A. (2015). Evidence-supported Psychosocial Treatment for Dual Disorder Patients. In G. Dom & F. **Moggi** (Eds.) *Co-occurring Addictive and Psychiatric Disorders: A Practice-based Handbook from a European Perspective* (p. 261-277). Berlin: Springer Verlag.
4. **Moggi, F.** (2014). Ist eine wirksame psychosoziale Behandlung von Patienten mit Suchterkrankungen und komorbiden psychischen Störungen eine unmögliche Aufgabe? *Suchttherapie*, 15, 9-15.
5. **Moggi, F.** (2014). Theoretische Modelle bei Doppeldiagnosen. In M. Walter & E. Gouzoulis-Mayfrank (Hrsg.) *Psychische Störungen und Suchterkrankungen. Diagnostik und Behandlung von Doppeldiagnosen*. (S. 13-25). Stuttgart: Kohlhammer.
6. **Moggi, F.** (2005). Etiological theories on the relationship of mental disorders and substance use disorders. In R. Stohler & W. Rössler (Eds.), *Dual diagnosis*. (pp. 1-14). Basel: Karger.